

TYPES AND GENERAL CHARACTERISTICS OF CONTAINERS

Container type	Length (ft)	Brutto weight (t)	Outside dimensions (mm)				Inner dimensions of closed containers (mm), min.				Distance between centers of corner fitting openings (mm)		Door opening dimensions of closed container (mm), min.		Inner volume (m ³), min.
			Length L	Width B	Height H	Length l	Width b	Height h	length-wise	width-wise	Width	Height			
1 AAA					2896 _{,5}	11998	2330	2655			11985			2566	74,2
1AA					2591 _{,5}	11998	2330	2350						2261	65,6
1A	40	30,48	12192 ⁻¹⁰		2438 _{,5}	11998	2330	2197						2134	61,3
1AX					<2438	-									
1BBB					2896 _{,5}	8931	2330	2655						2566	55,2
1BB					2591 _{,5}	8931	2330	2350		8918				2261	48,9
1B	30	25,4	9125 ⁻¹⁰		2438 _{,5}	8931	2330	2197		2259				2286	45,7
1BX					<2438	-									
1CC					2591 _{,5}	5867	2330	2350						2261	32,1
1C	20	24,0	6058 _{,6}		2438 _{,5}	5867	2330	2197		5853				2134	30,0
1CX					<2438	-									
1D	10	10,16	2591 _{,6}		2438 _{,5}	2802	2330	2197		2787				2134	14,3
1DX					<2438	-									
1EEE	45				2896 _{,5}	13522		2655						2566	83,6
1EE	45	30,48	13716		2591 _{,5}	13522	2330	2350		11985*				2261	73,9
1E	45				2438 _{,5}	13522		2197						2134	69,0

1. Containers with height less than 2438 mm can be only open type. Containers with side door openings can have less width. Containers with open top can have less height.
2. Inner container height is measured from floor surface to the highest top point and should be at least 280mm.
3. Parameters indicated in the above table are valid for temperature of 20° C.
4. Containers of types 1E – 1EEE has two additional pairs of fittings in addition to corner fittings, which correspond to corner fitting parameters of containers of types 1A – 1A.